

# Saccobello

ElasticBag  
ONEbyONE

## GARBAGE BIN ROLL ULTRA RESISTANT - TEAR FREE



Denomination:  
SACCABELLO ELASTICBAG ONEBYONE TEAR FREE  
NU LDPE rolls with elastic handles  
Cod. RTNULD70X110P7V

### CHARACTERISTICS:

EACH BAG IS CONVENIENTLY **TEAR FREE**. ELASTIC DRAWSTRING CLOSURE TO PREVENT THE BAG FROM SETTLING AT THE BOTTOM.  
ELASTIC DRAWSTRING FOR EASY CLOSURE AND CARRYING.



#### 3 LAYER RESISTANCE




ANTI-DRIP BOTTOM



100% RECYCLABLE



DO NOT DISPERSE  
IN THE ENVIRONMENT



### TECHNICAL SPECIFICATIONS

Tolerances:  $\pm 5\%$   
Size (cm): **70x110**  
Size (Litres): **110**  
Usable height (cm): **110**  
Product range: **Differentiated and undifferentiated waste collection bag**  
Colour: **Purple**  
Bag thickness: **25 Micron**  
Handle thickness: **87 Micron**  
Handle colour: **Red**  
Material: **LDPE + MLLDPE**


#### PACKAGING

Bags per roll: 7  
Roll weight (gr): **275**  
Bag weight (gr): **37**  
Bar code: **8033182191060**



## GARBAGE BIN ROLL ULTRA RESISTANT - TEAR FREE

### INSTRUCTIONS



- 1: Remove the label on the roll, with one hand hold the roll still and with the other hand tear the bag at the pre-cut point.
- 2: Hold the bag with both hands at both ends of the elastic handles and expand the bag by placing it in the bin.
- 3: Place the bag inside the bin so as to remain clamped at the mouth of the bin.
- 4: Once full, pull the bag out of the bin by pulling the sliding handles upwards.
- 5: Make the knot on the handles so as to close the bag.
- 6: After being sure the bag is closed, take the bag by the inside of the handles so that it can be removed from the bin.



#### PACKAGING

Box size: **29,5x39x20,5**

Box colour: **white**

Bar code box: **8033182190766**


#### PALLETIZING DATA

Pallet size (cm): **80x120**

Boxes per layer: **8**

Layers per pallet: **5**

Pallet height (cm): **120**





## GARBAGE BIN ROLL ULTRA RESISTANT - TEAR FREE



Denomination:

SACCOBELLO ELASTICBAG ONEBYONE TEAR FREE

NU LDPE rolls with elastic handles

Cod. RTNULDPR54X63P12NT

### CHARACTERISTICS:

EACH BAG IS CONVENIENTLY **TEAR FREE**. ELASTIC DRAWSTRING CLOSURE TO PREVENT THE BAG FROM SETTLING AT THE BOTTOM.  
ELASTIC DRAWSTRING FOR EASY CLOSURE AND CARRYING.



#### 3 LAYER RESISTANCE




ANTI-DRIP BOTTOM



100% RECYCLABLE



DO NOT DISPERSE  
IN THE ENVIRONMENT



### TECHNICAL SPECIFICATIONS

Tolerances:  $\pm 5\%$

Size (cm): **70x110**

Size (Litres): **110**

Usable height (cm): **110**

Product range: **Differentiated and undifferentiated waste collection bag**

Colour: **Neutral**

Bag thickness: **25 Micron**

Handle thickness: **87 Micron**

Handle colour: **Red**

Material: **LDPE + MLLDPE**

#### PACKAGING

Bags per roll: **7**

Roll weight (gr): **275**

Bag weight (gr): **37**

Bar code: **8033182191053**



## GARBAGE BIN ROLL ULTRA RESISTANT - TEAR FREE

### INSTRUCTIONS



- 1: Remove the label on the roll, with one hand hold the roll still and with the other hand tear the bag at the pre-cut point.
- 2: Hold the bag with both hands at both ends of the elastic handles and expand the bag by placing it in the bin.
- 3: Place the bag inside the bin so as to remain clamped at the mouth of the bin.
- 4: Once full, pull the bag out of the bin by pulling the sliding handles upwards.
- 5: Make the knot on the handles so as to close the bag.
- 6: After being sure the bag is closed, take the bag by the inside of the handles so that it can be removed from the bin.



#### PACKAGING

Box size: **29,5x39x20,5**

Box colour: **white**

Bar code box: **8033182190759**

#### PALLETIZING DATA

Pallet size (cm): **80x120**

Boxes per layer: **8**

Layers per pallet: **5**

Pallet height (cm): **120**





**Saccobello**  
ElasticBag  
ONEbyONE

## GARBAGE BIN ROLL ULTRA RESISTANT - TEAR FREE



Denomination:  
SACCOBELLO ELASTICBAG ONEBYONE TEAR FREE  
NU LDPE rolls with elastic handles  
Cod. RTNULD70X110P7G

### CHARACTERISTICS:

EACH BAG IS CONVENIENTLY **TEAR FREE**. ELASTIC DRAWSTRING CLOSURE TO PREVENT THE BAG FROM SETTLING AT THE BOTTOM.  
ELASTIC DRAWSTRING FOR EASY CLOSURE AND CARRYING.



#### 3 LAYER RESISTANCE




ANTI-DRIP BOTTOM



100% RECYCLABLE



DO NOT DISPERSE  
IN THE ENVIRONMENT



### TECHNICAL SPECIFICATIONS

Tolerances:  $\pm 5\%$   
Size (cm): **70x110**  
Size (Litres): **110**  
Usable height (cm): **110**  
Product range: **Differentiated and undifferentiated waste collection bag**  
Colour: **Yellow**  
Bag thickness: **25 Micron**  
Handle thickness: **87 Micron**  
Handle colour: **Red**  
Material: **LDPE + MLLDPE**


#### PACKAGING

Bags per roll: 7  
Roll weight (gr): **275**  
Bag weight (gr): **37**  
Bar code: **8033182191046**



## GARBAGE BIN ROLL ULTRA RESISTANT - TEAR FREE

### INSTRUCTIONS



- 1: Remove the label on the roll, with one hand hold the roll still and with the other hand tear the bag at the pre-cut point.
- 2: Hold the bag with both hands at both ends of the elastic handles and expand the bag by placing it in the bin.
- 3: Place the bag inside the bin so as to remain clamped at the mouth of the bin.
- 4: Once full, pull the bag out of the bin by pulling the sliding handles upwards.
- 5: Make the knot on the handles so as to close the bag.
- 6: After being sure the bag is closed, take the bag by the inside of the handles so that it can be removed from the bin.



#### PACKAGING

Box size: **29,5x39x20,5**

Box colour: **white**

Bar code box: **8033182190803**

#### PALLETIZING DATA

Pallet size (cm): **80x120**

Boxes per layer: **8**

Layers per pallet: **5**

Pallet height (cm): **120**





## GARBAGE BIN ROLL ULTRA RESISTANT - TEAR FREE

Denomination:  
SACCOBELLO ELASTICBAG ONEBYONE TEAR FREE  
NU LDPE rolls with elastic handles  
Cod. RTNULD70X110P7B

### CHARACTERISTICS:

EACH BAG IS CONVENIENTLY **TEAR FREE**. ELASTIC DRAWSTRING CLOSURE TO PREVENT THE BAG FROM SETTLING AT THE BOTTOM.  
ELASTIC DRAWSTRING FOR EASY CLOSURE AND CARRYING.



#### 3 LAYER RESISTANCE




ANTI-DRIP BOTTOM



100% RECYCLABLE



DO NOT DISPERSE  
IN THE ENVIRONMENT



### TECHNICAL SPECIFICATIONS

Tolerances:  $\pm 5\%$   
Size (cm): **70x110**  
Size (Litres): **110**  
Usable height (cm): **110**  
Product range: **Differentiated and undifferentiated waste collection bag**  
Colour: **Blue**  
Bag thickness: **25 Micron**  
Handle thickness: **87 Micron**  
Handle colour: **Red**  
Material: **LDPE + MLLDPE**


#### PACKAGING

Bags per roll: **7**  
Roll weight (gr): **275**  
Bag weight (gr): **37**  
Bar code: **8033182191077**



## GARBAGE BIN ROLL ULTRA RESISTANT - TEAR FREE

### INSTRUCTIONS



- 1: Remove the label on the roll, with one hand hold the roll still and with the other hand tear the bag at the pre-cut point.
- 2: Hold the bag with both hands at both ends of the elastic handles and expand the bag by placing it in the bin.
- 3: Place the bag inside the bin so as to remain clamped at the mouth of the bin.
- 4: Once full, pull the bag out of the bin by pulling the sliding handles upwards.
- 5: Make the knot on the handles so as to close the bag.
- 6: After being sure the bag is closed, take the bag by the inside of the handles so that it can be removed from the bin.



#### PACKAGING

Box size: **29,5x39x20,5**

Box colour: **white**

Bar code box: **8033182190773**

#### PALLETIZING DATA

Pallet size (cm): **80x120**

Boxes per layer: **8**

Layers per pallet: **5**

Pallet height (cm): **120**

